

# PUBLIC NOTICES

**Notice**  
Cabool R-IV School District is accepting sealed bids for school district bank depository services. Interested parties should contact Dr. Janson for a complete bid sheet, [kjanson@cabool.k12.mo.us](mailto:kjanson@cabool.k12.mo.us) 4/2t

**Notice of Trustee's Sale**  
Default having been made in the payment of that certain note secured by Deed of Trust executed by **Summer Madson, a single person**, dated **August 1, 2022** and recorded on **August 1, 2022** in Book **2022**, Page **3044**, as Document No. **202203044**, Office of Recorder of Deeds, **Texas County, Missouri**. The Successor Trustee will on **July 12, 2023**, between the hours of 9:00 o'clock A.M. and 5:00 P.M. more particularly at **12:00 PM**, at the Texas County Courthouse, 210 North Grand Ave, West Front door, Houston, MO 65483, sell at public venue to the highest bidder for cash, the following real estate:  
**All that part of the Northwest Quarter of the Southeast Quarter of Section 16, Township**

**30 North, Range 9 West, lying and being on the West and South side of the old Houston and Summersville public road.**  
For the purpose of satisfying said indebtedness and the costs of executing this trust.  
S&W Foreclosure Corporation  
Successor Trustee  
Pub Commences May 25, 2023  
LLG File No. 23-037855  
By: LOGS Legal Group LLP  
[www.LOGS.com](http://www.LOGS.com)  
Servicelink/Hudson & Marshall  
Purported address: **16978 Ridge Road, Houston, Mo. 65483**  
Publication Dates: May 25, June, 1, 8, 15, 22, 29 and July 6, 2023 4/7t

**In the 25th Judicial Circuit Court, Texas County, Missouri**  
**Judge or Division: Probate**  
**Case Number: 23TE-PR00050**  
**In the Estate of Barbara Jean Jolly, Deceased.**  
**Notice of Letters Testamentary Granted**

(Independent Administration)  
**To All Persons Interested in the Estate of Barbara Jean Jolly, Decedent:**  
On May 15, 2023, the last will of the decedent having been admitted to probate, the following individual was appointed the personal representative of the estate of **Barbara Jean Jolly**, decedent, by the Probate Division of the Circuit Court of Texas County, Missouri. The personal representative may administer the estate independently without adjudication, order, or direction of the Probate Division of the Circuit Court, unless a petition for supervised administration is made to and granted by the court. The name, business address and phone number of the personal representative is: **Stephen Jolly, 1412 10th Street, Imperial Beach, CA 91932, 619-606-1033.**  
The personal representative's name, business address and phone number is: **John C. Sauter, 231 S. Bemiston Ave., Ste. 1111, St.**

**Louis, MO 63105, 314-725-8000.**  
All creditors of said decedent are notified to file claims in court within six months from the date of the first publication of this notice or if a copy of this notice was mailed to, or served upon, such creditor by the personal representative, then within two months from the date it was mailed or served, whichever is later, or be forever barred to the fullest extent permissible by law. Such six-month period and such two-month period do not extend the limitation period that would bar claims one year after the decedent's death, as provided in Section 473.444, RSMo, or any other applicable limitation periods. Nothing in Section 473.033, RSMo, shall be construed to bar any action against a decedent's liability insurance carrier through a defendant ad litem pursuant to Section 537.021, RSMo.  
Date of the decedent's death: Oct. 21, 2022  
Date of first publication: May 25, 2023  
(Seal)  
/s/Erin Smith,

**Circuit Clerk**  
By: Shelly Cummins, Probate Clerk  
Receipt of this notice by mail should not be construed by the recipient to indicate that the recipient necessarily has a beneficial interest in the estate. The nature and extent of any person's interest, if any, can be determined from the files and records of this estate in the Probate Division of the above referenced Circuit Court. 5/4t  
**In the Circuit Court of Texas County, Missouri**  
**Circuit Division**  
**Fallon Dante Sherman, a minor male child, born 6-24-2013, individually, and by Next Friend Coral Jade Rowland;**  
**Coral Jade Rowland, Petitioner**  
v.  
**Kyle Austin Sherman, Respondent.**  
**Case No.: 22TE-CC00097**  
**Notice Upon Order For Service By Publication**  
**The State of Missouri**  
**to: Kyle Austin Sherman**  
**You are hereby notified that a Petition for Declaration of**

Paternity and Custody has been commenced against you in the Circuit Court for the County of Texas, Missouri, the object, and general nature of which is the Custody and Support of the minor child, Fallon Dante Sherman.  
The name of the minor child who is the subject of this action is Fallon Dante Sherman and the name and address of the attorney for petitioners is Jaired B. Hall, 1205 Hauck Dr., Suite A, Rolla, Mo. 65401, 573-466-4167.  
You are further notified that, unless you file an answer or other pleading or shall otherwise appear and defend against aforesaid petition within forty-five (45) days after the 25th day of May, 2023, judgment by default will be rendered against you.  
Witness my hand and seal of the court this 18th day of May, 2023.  
**Texas County Circuit Clerk (Seal)**  
/s/Erin Smith, Circuit Clerk  
By: Deana Sillyman, Deputy Clerk 5/4t

[www.houstonherald.com](http://www.houstonherald.com)

## TEXAS COUNTY PWS3 Public Water System ID Number: MO4024608 2022 Annual Water Quality Report (Consumer Confidence Report)

*This report is intended to provide you with important information about your drinking water and the efforts made to provide safe drinking water.*

**Attention!**  
Este informe contiene información muy importante. Tradúscalo o pregúntele a alguien que lo entienda bien.  
[Translated: This report contains very important information. Translate or ask someone who understands this very well.]  
What is the source of my water?  
The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and groundwater wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.  
**Our water comes from the following source(s):**

Source Name	Type
WELL # 2 WEST OF 6420 MCKINNEY RD	GROUND WATER
WELL # 1 6420 MC KINNEY RD	GROUND WATER

**Source Water Assessment**  
The Department of Natural Resources conducted a source water assessment to determine the susceptibility of our water source to potential contaminants. This process involved the establishment of source water area delineations for each well or surface water intake and then a contaminant inventory was performed within those delineated areas to assess potential threats to each source. Assessment maps and summary information sheets are available on the internet at <https://drinkingwater.missouri.edu/>. The Missouri Source Water Protection and Assessment maps and information sheets provide a foundation upon which a more comprehensive source water protection plan can be developed.  
**Why are there contaminants in my water?**  
Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

**Contaminants that may be present in source water include:**  
A. **Microbial contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.  
B. **Inorganic contaminants**, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.  
C. **Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.  
D. **Organic chemical contaminants**, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.  
E. **Radioactive contaminants**, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the Department of Natural Resources prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Department of Health regulations establish limits for contaminants in bottled water which must provide the same protection for public health.  
Is our water system meeting other rules that govern our operations?  
The Missouri Department of Natural Resources regulates our water system and requires us to test our water on a regular basis to ensure its safety. Our system has been assigned the identification number MO4024608 for the purposes of tracking our test results. Last year, we tested for a variety of contaminants. The detectable results of these tests are on the following pages of this report. Any violations of state requirements or standards will be further explained later in this report.

How might I become actively involved?

### Contaminants Report

TEXAS COUNTY PWS3 will provide a printed hard copy of the CCR upon request. To request a copy of this report to be mailed, please call us at **417-967-2129**. The CCR can also be found on the internet at [www.dnr.mo.gov/corr/MO4024608.pdf](http://www.dnr.mo.gov/corr/MO4024608.pdf).

*The state has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Records with a sample year more than one year old are still considered representative. No data older than 5 years need be included. If more than one sample is collected during the monitoring period, the Range of Sampled Results will show the lowest and highest tested results. The Highest Test Result, Highest LRAA, or Highest Value must be below the maximum contaminant level (MCL) or the contaminant has exceeded the level of health based standards and a violation is issued to the water system.*

Regulated Contaminants									
Regulated Contaminants	Collection Date	Highest Test Result	Range of Sampled Result(s) (low - high)	Unit	MCL	MCLG	Typical Source		
BARIUM	10/20/2021	0.0511	0.0306 - 0.0511	ppm	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits		
NITRATE-NITRITE	10/9/2022	0.111	0.028 - 0.111	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits		

Lead and Copper	Date	90th Percentile: 90% of your water utility levels were less than	Range of Sampled Results (low - high)	Unit	AL	Sites Over AL	Typical Source
COPPER	2019 - 2021	0.058	0.00261 - 0.0703	ppm	1.3	0	Corrosion of household plumbing systems
LEAD	2019 - 2021	0	0 - 4.25	ppb	15	0	Corrosion of household plumbing systems

### Violations and Health Effects Information

During the 2022 calendar year, we had the below noted violation(s) of drinking water regulations.

Compliance Period	Analyte	Type
No Violations Occurred in the Calendar Year of 2022		

**Special Lead and Copper Notice:**  
If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. TEXAS COUNTY PWS3 is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at <http://water.epa.gov/drink/info/lead/index.cfm>.

All contaminant sample results from past and present compliance monitoring are available online at the Missouri DNR Drinking Water Watch website at [www.dnr.mo.gov/DWW/](http://www.dnr.mo.gov/DWW/). To see the Lead and Copper results, enter your water system's name in the box titled Water System Name, then select Find Water Systems at the bottom of the page. On the next screen, click on the Water System Number. At the top of the next page, under the Help column, click on Other Chemical Results by Analyte. Scroll down to Lead and click the blue Analyte Code (1030). A Sample Collection Date range may need to be entered. The Lead and Copper locations will be displayed under the heading Sample Comments. Scroll to find your location and click on the Sample No. for results. If you assisted the water system in taking a Lead and Copper sample but cannot find your location on the list, please contact TEXAS COUNTY PWS3 for your results.

### Optional Monitoring (not required by EPA)

Optional Contaminants

*Monitoring is not required for optional contaminants.*

Secondary Contaminants	Collection Date	Your Water System Highest Sampled Result	Range of Sampled Result(s) (low - high)	Unit	SMCL
ALKALINITY, CaCO3 STABILITY	10/20/2021	194	169 - 194	MG/L	0.05
ALUMINUM	10/20/2021	0.0221	0 - 0.0221	MG/L	
CALCIUM	10/20/2021	45.3	40.6 - 45.3	MG/L	
HARDNESS, CARBONATE	10/20/2021	216	188 - 216	MG/L	
IRON	10/20/2021	0.116	0.0654 - 0.116	MG/L	0.3
MAGNESIUM	10/20/2021	25.1	21.1 - 25.1	MG/L	
MANGANESE	10/20/2021	0.0236	0 - 0.0236	MG/L	0.05
NICKEL	10/20/2021	0.00108	0 - 0.00108	MG/L	0.1
PH	10/20/2021	7.69	7.57 - 7.69	PH	8.5
POTASSIUM	10/20/2021	1.05	0 - 1.05		
SODIUM	10/20/2021	1.82	1.68 - 1.82	MG/L	
SULFATE	10/20/2021	6.24	0 - 6.24	MG/L	250
TDS	10/20/2021	206	164 - 206	MG/L	500
ZINC	10/20/2021	0.0774	0.0261 - 0.0774	MG/L	5

Secondary standards are non-enforceable guidelines for contaminants that may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor or color) in drinking water. EPA recommends these standards but does not require water systems to comply.

March 14, 2023

## TCMH celebrates National Hospital Week

Texas County Memorial Hospital celebrated its staff during the nationally recognized "National Hospital Week" from May 8 through May 12. Hospital Week is celebrated annually at TCMH with festivities provided for the employees throughout the week. On Monday, popcorn and lemonade were available to all employees along with a hospital and clinic scavenger activities hunt. On Tuesday, t-shirts were distributed to all employees. An employee health fair was held on Wednesday and Thursday. All employees were offered free lab draws, including CBC, CMP, TSH and a lipid panel. Available at the fair were blood pressure checks, pulse oximetry and heart health, coronary artery disease risk factor screening and physical therapy lifting. Friday culminated the week of activities with a barbeque meal served to all hospital employees. TCMH employs about 348 full-time and part-time employees. "National Hospital Week provides an opportunity for us to say, 'thank you' to our employees for the wonderful job that they do every day," said Stace Holland, TCMH chief executive officer.

## Texas County Farm Bureau awards 2023 scholarships

The Texas County Farm Bureau recently awarded its 2023 Texas County Farm Bureau scholarship. The scholarship applicants were judged by a panel of board members who looked carefully at each application. They had eight applicants and gave out four scholarships. Receiving the award were Katie Jo Moore, Evan Gifford and Katie Jo Chipps. The board also introduced a new scholarship this year called "The Primrose Casey Scholarship." It is given to a candidate that possesses excellent community service work. It was awarded to Cali Jo Smith.